

LEDWISE TECHNOLOGY LIMITED TEST REPORT


LUMINAIRE PHOTOMETRIC TEST REPORT

Report number:


MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE: 软光条	WEIGHT:
SPECIFICATION: 2400K	DIMENSION: 10MM*0.6M	SERIAL No.: 2

DATA OF LAMP		Imax(cd)	244.8	S/MH(C0/180)	1.28
MODEL	2835	EFFICIENCY(%)	100.0	S/MH(C90/270)	1.31
NOMINAL POWER(W)	10	TOTAL FLUX(lm)	729.25	Voltage(V)	24.00
RATED VOLTAGE(V)	24	EFFICIENCY(lm/W)	64.9	Current(A)	0.468
NOMINAL FLUX(lm)	729.3	η up(%)	1.3	Power(W)	11.23
LAMPS QUANTITY	1	η down(%)	98.7	Power Factor(PF)	1.000
TEST VOLTAGE(V)	24.0	Effective Flux(lm)	708.5	EEI	0.193

LUMINOUS INTENSITY DISTRIBUTION



LUMINOUS INTENSITY DISTRIBUTION



Test System:HOP00 HPG1800
Temperature:25.3DEG
Operators:
Test Date:2019年12月16日


Test Set: 10.0deg/s C-Gamma (TYPE C)
Humidity:65.0%
Test Distance:6.220 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

AVERAGE AND CENTER E Figure

Report number:

MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE: 软光条	WEIGHT:
SPECIFICATION: 2400K	DIMENSION: 10MM*0.6M	SERIAL No.: 2



Test System: HOP00 HPG1800
 Temperature: 25.3DEG
 Operators:
 Test Date: 2019年12月16日

Test Set: 10.0deg/s C-Gamma (TYPE C)
 Humidity: 65.0%
 Test Distance: 6.220 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

ZONAL FLUX DIAGRAM

Report number:

MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE:软光条	WEIGHT:
SPECIFICATION:2400K	DIMENSION: 10MM*0.6M	SERIAL No.:2

γ	C0	C45	C90	C135	C180	C225	C270	C315	γ	zone	total
10.0	241.3	241.9	242.7	242.6	240.7	238.8	238.2	238.0	0- 10	23.14	23.14
20.0	229.7	231.7	233.1	233.1	228.5	225.2	223.8	223.8	10- 20	66.48	89.63
30.0	211.0	214.1	215.8	215.9	208.6	204.1	202.4	202.3	20- 30	101.3	190.9
40.0	185.1	189.7	192.1	192.0	182.1	176.0	173.5	173.9	30- 40	123.2	314.2
50.0	153.5	158.9	161.6	161.5	148.5	141.2	137.9	138.9	40- 50	129.1	443.3
60.0	115.4	125.0	126.2	126.2	110.2	101.5	93.43	99.52	50- 60	118.3	561.6
70.0	74.28	82.52	86.15	84.94	67.35	58.41	54.66	56.71	60- 70	90.75	652.4
80.0	31.45	39.67	43.13	41.62	21.97	17.29	14.66	16.26	70- 80	51.93	704.3
90.0	2.979	6.615	8.163	7.447	0.851	1.760	2.630	1.760	80- 90	15.57	719.9
100.0	2.514	1.624	0.658	1.624	0.890	1.489	2.243	1.528	90-100	2.535	722.4
110.0	2.243	1.508	0.619	1.431	0.890	1.373	2.127	1.373	100-110	1.578	724.0
120.0	1.973	1.354	0.658	1.296	0.890	1.334	1.779	1.238	110-120	1.359	725.3
130.0	1.779	1.257	0.658	1.257	0.967	1.276	1.586	1.179	120-130	1.169	726.5
140.0	1.740	1.218	0.735	1.218	1.005	1.199	1.508	1.199	130-140	0.961	727.5
150.0	1.663	1.102	0.812	1.179	1.044	1.179	1.508	1.160	140-150	0.756	728.2
160.0	1.586	1.179	0.696	1.102	1.199	1.141	1.431	1.121	150-160	0.541	728.8
170.0	1.392	1.121	0.812	1.044	1.044	1.121	1.354	1.083	160-170	0.320	729.1
180.0	1.238	1.083	0.929	1.005	1.392	1.044	1.238	1.025	170-180	0.107	729.2
DEG	LUMINOUS INTENSITY:cd									UNIT:lm	

Test System:HOP00 HPG1800
Temperature:25.3DEG
Operators:
Test Date:2019年12月16日

Test Set: 10.0deg/s C-Gamma (TYPE C)
Humidity:65.0%
Test Distance:6.220 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT


LUMINANCE LIMITATION CURVES

Report number:

MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE:软光条	WEIGHT:
SPECIFICATION:2400K	DIMENSION: 10MM*0.6M	SERIAL No.:2

LUMINANCE LIMITATION CURVES

GLARE	CLASS	ILLUMINANCE (lx)							
1.15	A	2000	1000	500	<=300				
1.50	B		2000	1000	500	<=300			
1.85	C			2000	1000	500	<=300		
2.20	D				2000	1000	500	<=300	
2.55	E					2000	1000	500	<=300



LUMINANCE cd/(m ²)		
G (DEG)	C0/180	C90/270
85	1318	2690
80	1811	2484
75	2031	2517
70	2172	2519
65	2215	2525
60	2310	2525
55	2350	2520
50	2389	2515
45	2405	2517

Test System:HOP00 HPG1800
Temperature:25.3DEG
Operators:
Test Date:2019年12月16日


Test Set: 10.0deg/s C-Gamma (TYPE C)
Humidity:65.0%
Test Distance:6.220 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

ISOCANDELA DIAGRAM

Report number:

MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE: 软光条	WEIGHT:
SPECIFICATION: 2400K	DIMENSION: 10MM*0.6M	SERIAL No.: 2



Test System: HOP00 HPG1800
Temperature: 25.3 DEG
Operators:
Test Date: 2019年12月16日


Test Set: 10.0deg/s C-Gamma (TYPE C)
Humidity: 65.0%
Test Distance: 6.220 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

ISOLUX DIAGRAM

Report number:

MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE: 软光条	WEIGHT:
SPECIFICATION: 2400K	DIMENSION: 10MM*0.6M	SERIAL No.: 2



Test System: HOP00 HPG1800
Temperature: 25.3DEG
Operators:
Test Date: 2019年12月16日

Test Set: 10.0deg/s C-Gamma (TYPE C)
Humidity: 65.0%
Test Distance: 6.220 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

AREA LUMINOUS FLUX

Report number:

MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE: 软光条	WEIGHT:
SPECIFICATION: 2400K	DIMENSION: 10MM*0.6M	SERIAL No.: 2

VERTICAL (DEG)	AREA FLUX DIAGRAM																		UNIT:1m				Φ t	Φ a
	0.00	0.02	0.06	0.09	0.10	0.10	0.11	0.15	0.19	0.18	0.15	0.11	0.09	0.09	0.08	0.06	0.04	0.01	1.63	0.00				
90	0.01	0.05	0.14	0.29	0.44	0.58	0.73	0.90	1.00	1.00	0.88	0.70	0.55	0.42	0.27	0.15	0.06	0.01	8.20	5.13				
80	0.01	0.09	0.31	0.66	1.03	1.40	1.75	2.08	2.26	2.25	2.05	1.72	1.37	1.00	0.63	0.32	0.11	0.02	19.0	18.5				
70	0.01	0.15	0.51	1.06	1.67	2.28	2.84	3.30	3.53	3.53	3.29	2.81	2.23	1.63	1.03	0.52	0.18	0.02	30.6	30.3				
60	0.02	0.21	0.70	1.43	2.27	3.11	3.79	4.34	4.68	4.67	4.30	3.74	3.07	2.22	1.41	0.72	0.25	0.03	41.0	40.8				
50	0.02	0.26	0.87	1.74	2.77	3.76	4.60	5.24	5.65	5.64	5.20	4.54	3.70	2.72	1.74	0.90	0.31	0.04	49.7	49.6				
40	0.03	0.31	1.00	1.99	3.14	4.31	5.28	5.98	6.41	6.40	5.94	5.22	4.25	3.13	2.00	1.04	0.36	0.04	56.8	56.8				
30	0.03	0.34	1.09	2.16	3.40	4.66	5.77	6.54	6.95	6.93	6.50	5.72	4.65	3.43	2.20	1.14	0.40	0.05	62.0	61.9				
	0.03	0.36	1.15	2.25	3.54	4.85	6.00	6.85	7.28	7.27	6.84	6.01	4.89	3.61	2.32	1.21	0.43	0.05	65.0	64.9				
	0.03	0.37	1.16	2.28	3.57	4.89	6.05	6.91	7.36	7.35	6.90	6.06	4.93	3.64	2.35	1.22	0.43	0.05	65.6	65.5				
	0.03	0.36	1.14	2.24	3.51	4.80	5.93	6.78	7.21	7.19	6.74	5.88	4.77	3.53	2.28	1.18	0.42	0.05	64.0	64.0				
-30	0.03	0.34	1.07	2.12	3.32	4.55	5.63	6.44	6.81	6.79	6.40	5.57	4.48	3.29	2.14	1.10	0.39	0.05	60.5	60.5				
-40	0.03	0.30	0.97	1.93	3.03	4.15	5.16	5.88	6.19	6.17	5.84	5.10	4.08	2.98	1.93	0.99	0.34	0.04	55.1	55.0				
-50	0.02	0.25	0.82	1.65	2.64	3.62	4.51	5.11	5.37	5.36	5.07	4.45	3.56	2.61	1.62	0.84	0.29	0.03	47.8	47.7				
-60	0.02	0.19	0.64	1.32	2.13	2.96	3.69	4.16	4.37	4.36	4.12	3.64	2.92	2.08	1.28	0.65	0.22	0.03	38.8	38.6				
-70	0.01	0.13	0.45	0.95	1.56	2.20	2.75	3.08	3.23	3.22	3.05	2.70	2.15	1.51	0.91	0.45	0.15	0.02	28.5	28.2				
-80	0.01	0.08	0.26	0.56	0.95	1.36	1.71	1.90	1.97	1.96	1.87	1.67	1.32	0.90	0.53	0.26	0.09	0.02	17.4	16.7				
-90	0.01	0.04	0.11	0.23	0.39	0.57	0.70	0.75	0.76	0.75	0.73	0.67	0.53	0.36	0.21	0.11	0.05	0.01	6.94	3.65				
	-90	-80	-70	-60	-50	-40	-30	-20	HORIZONTAL (DEG)				20	30	40	50	60	70	80	90				
Φ t	0.36	3.84	12.4	25.0	39.5	54.2	67.0	76.4	81.3	81.1	75.9	66.3	53.6	39.1	24.9	12.8	4.50	0.57	729					
Φ a	0.00	3.00	11.7	24.3	38.9	53.6	66.4	75.8	80.6	80.5	75.3	65.8	53.0	38.5	24.3	12.2	3.82	0.11		708				

Test System: HOPPO HPG1800
 Temperature: 25.3 DEG
 Operators:
 Test Date: 2019年12月16日

Test Set: 10.0deg/s C-Gamma (TYPE C)
 Humidity: 65.0%
 Test Distance: 6.220 m
 Remarks:


LEDWISE TECHNOLOGY LIMITED TEST REPORT

CU AND LUMINAIRE BUDGETARY ESTIMATE DIAGRAM

Report number:

MANUFACTURER: LEDWISE	Address:		
NAME: LTR-P-24V-5.8W-24K-16	TYPE: 软光条	WEIGHT:	
SPECIFICATION: 2400K	DIMENSION: 10MM*0.6M	SERIAL No.: 2	

pcc	80%			70%			50%			30%			10%			0
p _w	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	0
p _{fc}	20%			20%			20%			20%			20%			0
RCR	RCR:Room Cavity Ratio															



Test System:HOP00 HPG1800
 Temperature:25.3DEG
 Operators:
 Test Date:2019年12月16日

Test Set: 10.0deg/s C-Gamma (TYPE C)
 Humidity:65.0%
 Test Distance:6.220 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

WEC AND CCEC

Report number:

MANUFACTURER: LEDWISE	Address:		
NAME: LTR-P-24V-5.8W-24K-16	TYPE:软光条	WEIGHT:	
SPECIFICATION:2400K	DIMENSION: 10MM*0.6M	SERIAL No.:2	

ρ_{cc}	80%			70%			50%			30%			10%			0	
ρ_w	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	0	
ρ_{fc}	20%			20%			20%			20%			20%			0	
RCR	RCR:Room Cavity Ratio						Wall Exitance Coefficients(WEC)										
0.0																	
1.0	.314	.179	.057	.307	.175	.056	.293	.168	.054	.280	.161	.052	.268	.155	.050		
2.0	.295	.162	.050	.288	.159	.049	.276	.153	.048	.264	.148	.046	.254	.144	.045		
3.0	.272	.145	.043	.266	.143	.043	.255	.138	.042	.245	.134	.041	.236	.131	.040		
4.0	.251	.130	.038	.246	.129	.038	.236	.125	.037	.227	.122	.037	.218	.119	.036		
5.0	.232	.118	.034	.227	.117	.034	.218	.114	.033	.210	.111	.033	.203	.108	.033		
6.0	.215	.108	.031	.211	.106	.031	.203	.104	.030	.196	.102	.030	.189	.099	.030		
7.0	.200	.099	.028	.196	.098	.028	.189	.096	.028	.183	.094	.027	.176	.092	.027		
8.0	.186	.091	.026	.183	.090	.025	.177	.088	.025	.171	.087	.025	.165	.085	.025		
9.0	.175	.084	.024	.172	.084	.023	.166	.082	.023	.161	.081	.023	.156	.079	.023		
10.0	.164	.079	.022	.161	.078	.022	.156	.077	.022	.152	.075	.021	.147	.074	.021		

ρ_{cc}	80%			70%			50%			30%			10%			0	
ρ_w	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	50%	30%	10%	0	
ρ_{fc}	20%			20%			20%			20%			20%			0	
RCR	RCR:Room Cavity Ratio						Ceiling Cavity Exitance Coefficients(CCEC)										
0.0	.200	.200	.200	.171	.171	.171	.117	.117	.117	.067	.067	.067	.021	.021	.021		
1.0	.190	.166	.144	.163	.142	.124	.111	.098	.086	.064	.057	.050	.021	.018	.016		
2.0	.183	.142	.108	.156	.122	.093	.107	.084	.065	.062	.049	.038	.020	.016	.012		
3.0	.175	.124	.084	.150	.107	.073	.103	.074	.051	.059	.043	.030	.019	.014	.010		
4.0	.167	.111	.068	.144	.096	.059	.099	.067	.042	.057	.039	.025	.018	.013	.008		
5.0	.160	.101	.057	.137	.087	.050	.095	.061	.035	.055	.036	.021	.018	.012	.007		
6.0	.153	.092	.049	.131	.080	.043	.091	.056	.030	.053	.033	.018	.017	.011	.006		
7.0	.146	.085	.043	.125	.074	.038	.087	.052	.027	.050	.031	.016	.016	.010	.005		
8.0	.139	.080	.039	.120	.069	.034	.083	.049	.024	.048	.029	.014	.016	.009	.005		
9.0	.133	.075	.035	.115	.065	.031	.080	.046	.022	.046	.027	.013	.015	.009	.004		
10.0	.128	.070	.032	.110	.061	.028	.076	.043	.020	.044	.025	.012	.014	.008	.004		

Test System:HOP00 HPG1800
 Temperature:25.3DEG
 Operators:
 Test Date:2019年12月16日

Test Set: 10.0deg/s C-Gamma (TYPE C)
 Humidity:65.0%
 Test Distance:6.220 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

Uncorrected UGR Table

Report number:

MANUFACTURER: LEDWISE						Address:					
NAME: LTR-P-24V-5.8W-24K-16						TYPE:软光条			WEIGHT:		
SPECIFICATION:2400K						DIMENSION: 10MM*0.6M			SERIAL No.:2		
ceiling/cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3	
walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3	
working plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	
Room dimensions		Viewed crosswise					Viewed endwise				
x = 2H y = 2H	16.0	17.5	16.3	17.7	18.0	16.5	18.0	16.8	18.2	18.4	
	3H	17.6	19.0	17.9	19.3	19.5	18.3	19.7	18.6	19.9	
	4H	18.2	19.6	18.6	19.8	20.1	19.1	20.4	19.4	20.7	
	6H	18.7	19.9	19.0	20.2	20.5	19.7	20.9	20.0	21.2	
	8H	18.7	19.9	19.1	20.2	20.5	19.9	21.1	20.2	21.4	
	12H	18.7	19.9	19.1	20.2	20.6	20.1	21.2	20.4	21.6	
4H	2H	16.7	18.1	17.1	18.3	18.6	17.1	18.4	17.4	18.7	
	3H	18.5	19.7	18.9	20.0	20.3	19.1	20.3	19.5	20.6	
	4H	19.3	20.3	19.6	20.7	21.0	20.1	21.1	20.5	21.5	
	6H	19.8	20.7	20.2	21.1	21.5	20.8	21.8	21.3	22.2	
	8H	19.9	20.7	20.3	21.1	21.6	21.1	22.0	21.6	22.4	
	12H	19.9	20.7	20.4	21.2	21.6	21.4	22.2	21.8	22.6	
8H	4H	19.6	20.5	20.1	20.9	21.3	20.4	21.3	20.8	21.6	
	6H	20.3	21.0	20.8	21.4	21.9	21.3	22.1	21.8	22.5	
	8H	20.5	21.1	20.9	21.6	22.0	21.7	22.4	22.2	22.8	
	12H	20.6	21.1	21.1	21.6	22.1	22.1	22.6	22.6	23.1	
12H	4H	19.7	20.5	20.1	20.9	21.3	20.4	21.2	20.8	21.6	
	6H	20.4	21.0	20.9	21.5	22.0	21.4	22.0	21.9	22.5	
	8H	20.6	21.2	21.1	21.6	22.1	21.8	22.4	22.3	22.9	
Variations with the observer position at spacings:											
S = 1.0H	+ 0.1 / - 0.1					+ 0.1 / - 0.1					
1.5H	+ 0.3 / - 0.3					+ 0.2 / - 0.3					
2.0H	+ 0.2 / - 0.4					+ 0.2 / - 0.3					

CIE Pub.117 Corrected 729.2 lm Total Lamp Luminous Flux.(8log(F/F0) = -1.1)

Test System:HOP00 HPG1800
 Temperature:25.3DEG
 Operators:
 Test Date:2019年12月16日

Test Set: 10.0deg/s C-Gamma (TYPE C)
 Humidity:65.0%
 Test Distance:6.220 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

UTILIZATION FACTORS TABLE

Report number:

MANUFACTURER: LEDWISE	Address:		
NAME: LTR-P-24V-5.8W-24K-16	TYPE: 软光条	WEIGHT:	
SPECIFICATION: 2400K	DIMENSION: 10MM*0.6M	SERIAL No.: 2	

REFLECTANCE										
Ceiling	0.8	0.8	0.8	0.7	0.7	0.7	0.5	0.5	0.5	0
Walls	0.7	0.5	0.3	0.7	0.5	0.3	0.7	0.5	0.3	0
Working plane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0
ROOM INDEX	UTILIZATION FACTORS(PERCENT) $k(RI) \times RCR = 5$									
k = 0.60	57	45	38	56	45	38	55	44	38	31
0.80	67	55	47	66	54	47	64	54	47	40
1.00	75	64	56	74	63	56	71	64	55	48
1.25	82	71	64	81	71	64	78	69	63	55
1.50	87	77	70	85	76	69	82	74	68	61
2.00	94	85	79	92	84	78	89	82	76	68
2.50	98	90	84	96	89	83	92	86	81	72
3.00	102	94	89	99	93	88	95	90	85	77
4.00	106	100	95	103	98	93	99	94	91	81
5.00	108	103	99	106	101	97	101	97	94	84
ROOM INDEX	UF(total)									Direct
According to DIN EN 13032-2 2004			Suspended					SHRNOM = 1.25		

Test System:HOP00 HPG1800
 Temperature:25.3DEG
 Operators:
 Test Date:2019年12月16日


Test Set: 10.0deg/s C-Gamma (TYPE C)
 Humidity:65.0%
 Test Distance:6.220 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

ISOCANDELA DIAGRAM

Report number:

MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE: 软光条	WEIGHT:
SPECIFICATION: 2400K	DIMENSION: 10MM*0.6M	SERIAL No.: 2



Test System:HOP00 HPG1800
 Temperature:25.3DEG
 Operators:
 Test Date:2019年12月16日

Test Set: 10.0deg/s C-Gamma (TYPE C)
 Humidity:65.0%
 Test Distance:6.220 m
 Remarks:



LEDWISE TECHNOLOGY LIMITED TEST REPORT

ISOLUX DIAGRAM

Report number:

MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE: 软光条	WEIGHT:
SPECIFICATION: 2400K	DIMENSION: 10MM*0.6M	SERIAL No.: 2

ILLUMINANCE AT MH=10 m, Enadir = 2.45 lx



Test System: HOP00 HPG1800
Temperature: 25.3DEG
Operators:
Test Date: 2019年12月16日


Test Set: 10.0deg/s C-Gamma (TYPE C)
Humidity: 65.0%
Test Distance: 6.220 m
Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

ISOCANDELA DIAGRAM

Report number:

MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE: 软光条	WEIGHT:
SPECIFICATION: 2400K	DIMENSION: 10MM*0.6M	SERIAL No.: 2



Test System: HOP00 HPG1800
 Temperature: 25.3DEG
 Operators:
 Test Date: 2019年12月16日

Test Set: 10.0deg/s C-Gamma (TYPE C)
 Humidity: 65.0%
 Test Distance: 6.220 m
 Remarks:

LEDWISE TECHNOLOGY LIMITED TEST REPORT

LUMINOUS DISTRIBUTION INTENSITY DATA

Report number:

MANUFACTURER: LEDWISE	Address:	
NAME: LTR-P-24V-5.8W-24K-16	TYPE:软光条	WEIGHT:
SPECIFICATION:2400K	DIMENSION: 10MM*0.6M	SERIAL No.:2

UNIT: cd

C(DEG) γ (DEG)	0	30	60	90	120	150	180	210	240	270	300	330
0.0	245	245	244	244	244	245	245	245	244	244	244	245
5.0	244	244	244	245	244	244	244	243	242	242	241	243
10.0	241	241	243	243	243	242	241	240	237	238	237	239
15.0	237	236	239	239	240	238	236	235	231	232	230	234
20.0	230	230	234	233	235	232	229	228	223	224	222	226
25.0	221	222	226	226	228	224	220	218	213	214	212	217
30.0	211	211	217	216	218	213	209	208	200	202	199	206
35.0	199	199	206	205	208	202	196	195	187	189	185	192
40.0	185	186	194	192	195	189	182	180	172	174	170	178
45.0	170	171	180	178	181	174	166	165	154	157	152	162
50.0	154	154	164	162	166	157	149	146	136	138	134	144
55.0	135	136	146	145	148	139	130	128	122	119	122	125
60.0	115	122	128	126	130	122	110	107	95.7	93.4	94.1	105
65.0	93.6	97.3	109	107	111	100	89.0	86.5	74.1	76.7	72.6	84.1
70.0	74.2	76.4	88.6	86.1	90.7	79.1	67.3	64.4	52.4	54.6	51.1	62.2
75.0	52.5	55.2	67.2	65.1	69.0	57.7	43.5	42.4	30.5	33.3	29.5	40.5
80.0	31.4	33.6	45.7	43.1	47.4	35.8	21.9	21.5	12.9	14.6	12.2	20.2
85.0	11.4	15.5	24.8	23.4	26.3	17.1	5.80	7.38	2.32	4.33	2.24	6.80
90.0	2.97	3.63	9.59	8.16	10.5	4.37	0.85	2.82	0.70	2.63	0.74	2.78
95.0	2.70	0.81	3.17	1.04	3.32	0.70	0.74	2.59	0.66	2.43	0.70	2.51
100.0	2.51	0.70	2.55	0.66	2.59	0.66	0.89	2.28	0.70	2.24	0.74	2.32
105.0	2.32	0.62	2.35	0.70	2.35	0.62	0.93	2.28	0.62	2.08	0.66	2.20
110.0	2.24	0.81	2.20	0.62	2.16	0.70	0.89	2.05	0.70	2.12	0.58	2.16
115.0	2.08	0.81	2.05	0.62	2.01	0.66	0.97	1.97	0.66	1.89	0.70	1.93
120.0	1.97	0.74	1.97	0.66	1.97	0.62	0.89	1.89	0.77	1.77	0.62	1.85
125.0	1.89	0.66	1.89	0.77	1.89	0.77	0.93	1.89	0.85	1.77	0.74	1.85
130.0	1.77	0.70	1.81	0.66	1.81	0.70	0.97	1.74	0.81	1.58	0.70	1.66
135.0	1.81	0.81	1.74	0.74	1.74	0.77	1.00	1.70	0.74	1.58	0.70	1.62
140.0	1.74	0.77	1.66	0.74	1.66	0.77	1.00	1.66	0.74	1.50	0.77	1.62
145.0	1.66	0.85	1.58	0.74	1.58	0.74	1.04	1.58	0.77	1.50	0.77	1.54
150.0	1.66	0.77	1.43	0.81	1.54	0.81	1.04	1.58	0.77	1.50	0.81	1.50
155.0	1.47	0.85	1.47	0.70	1.50	0.70	1.16	1.58	0.85	1.39	0.77	1.43
160.0	1.58	0.85	1.50	0.70	1.43	0.77	1.19	1.47	0.81	1.43	0.77	1.47
165.0	1.54	0.85	1.39	0.81	1.35	0.81	1.00	1.43	0.74	1.31	0.77	1.35
170.0	1.39	0.89	1.35	0.81	1.39	0.70	1.04	1.39	0.85	1.35	0.77	1.39
175.0	1.43	0.81	1.39	0.89	1.35	0.77	1.16	1.35	0.77	1.35	0.85	1.35
180.0	1.23	0.93	1.23	0.93	1.19	0.81	1.39	1.23	0.85	1.23	0.89	1.16

Test System:HOP00 HPG1800
Temperature:25.3DEG
Operators:
Test Date:2019年12月16日

Test Set: 10.0deg/s C-Gamma (TYPE C)
Humidity:65.0%
Test Distance:6.220 m
Remarks: